


ALL ARTWORK, DESIGN & CREATIVE ARE PROPERTY OF: L'Image HOME PRODUCTS INC. 1175 PLACE DU FRÈRE-ANDRÉ MONTRÉAL (QUÉBEC) CANADA H3B 3X9 1 800 890 4076	DOCKET: LI-313644 DATE: July 6, 2016 ITEM/SKU #: DESCRIPTION: 2pk 16 LED Power Failure Night IM CUSTOMER/RETAILER: Costco SPAIN DESIGNER: AP	COLORS DIELINE: DO NOT PRINT PROCESS COLOR: PANTONE COLOR: BLACK		DIMENSION HEIGHT (FRONT): 7 in HEIGHT (BACK): LENGTH (FRONT): 9.5 INCHES WIDTH (SIDES):			
	CONTACT SHERRY JIN / CLAUDIA LAI	FONTS HELVETICA CALIBRI ARIAL	VARNISH (OIL) <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO	PHOTOS <input checked="" type="checkbox"/> High Res Photos <input type="checkbox"/> Low Res Photos (F.P.O.) FOR POSITION ONLY <small>replace with actual High Res Photo</small>	PACKAGING TYPE INSTRUCTION MANUAL		
ARTWORK IS THE PROPERTY OF L'IMAGE HOME PRODUCTS INC. Printers changing Pantone spot colors to CMYK do so at their own risk and expense. Print artwork at 100% from PDF supplied, unless otherwise specified. Proofs/samples must be sent for approval before mass printing. DO NOT CHANGE ARTWORK IN ANY WAY.		ARTWORK Version #: _____ Correction revision #: _____ Design Revision #: _____					
FINAL - SIGNATURE / DATE BEFORE MASS PRODUCTION PRINTING: ELECTRONIC PDF ARTWORK PROOFS MUST BE SENT TO L'IMAGE HOME PRODUCTS GRAPHICS DEPT. FOR APPROVAL.							
P: _____	DPM: _____	CM: _____	MM: _____	AM: _____	AC: _____	PM: _____	GM: _____

Sunbeam

IMPORTANT, RETAIN FOR FUTURE REFERENCE: READ CAREFULLY.
 Thank you for purchasing this Sunbeam 16 LED Power Failure/Night Light.
 Please read all instructions before using your new Power Failure/Night Light.
IMPORTANT: FOR INDOOR AND DRY LOCATION USE ONLY.

PARTS AND FUNCTIONS



Power Failure Light
 Automatically turns on when power goes off.
Automatic Night Light with Photo Sensor
 Turns on with lack of ambient light. Turns off when room is lit.
Motion Sensor Light
 Automatically on when sensors detect a lack of ambient light and motion; automatically off when motion stops or with an increase in ambient light.

Rechargeable LED Flashlight
Auto Dimming
 Under night light mode, unit auto adjusts to a lower brightness if no motion is detected by motion sensor for 23 seconds.

IMPORTANT SAFETY INSTRUCTIONS

CAUTION: This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision. Risk of electric shock. Indoor use only. For safe use, plug only into exposed wall outlets where night light is ventilated and cannot contact bed coverings or other material that may present a fire hazard.

SAFE DISPOSAL INSTRUCTIONS: The device must be disposed only by a specialist. The light source of this luminaire is not replaceable; when the light source reaches its end of life the whole luminaire shall be replaced. Do not dispose of electrical appliances as unsorted municipal waste, use separate collection facilities. Contact your local government for information regarding the collection systems available. If electrical appliances are disposed of in landfills or dumps, hazardous substances can leak into the groundwater and get into the food chain, damaging your health and well-being. When replacing old appliances with new ones, the retailer is legally obligated to take back your old appliance for disposals at least free of charge. Batteries must be recycled or destroyed appropriately. Do not throw batteries away with household waste, municipal waste or on fire as they may leak or explode. Do not open, short circuit or damage batteries as this may cause injury.

WARNING: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: LEDs are non replaceable.



MODEL # 30310514 / ITM. / ART. 8500724

SAVE THESE INSTRUCTIONS


HOW TO CHARGE

STEP 1

Plug the induction charging cradle upright into a wall socket. (FIG. 1)

STEP 2

Place the LED power failure light onto the charging cradle. Charge for 24 hours before first use. Complete charging time is 8-10 hours thereafter. (FIG. 2)



OPERATION AND SPECIFICATIONS


Motion deactivation switch
 Allows the unit to function as motion sensor (On) or as night light (Off).

On/Off button

- When the unit is charging, press the button to turn the front panel LEDs on and off.
- When the unit is not charging, press the button once to turn on the LED on the front panel, press the button twice to switch light source from front panel LED to flashlight and press the button again to turn the unit off.

Induction charging cradle
 Charges Lithium-ion battery integrated in the LED power failure light.

Battery type: Built-in rechargeable 3.7V 500 mAh Li-Ion battery
 Charging time: Minimum 8.5 hours
 Runtime for power failure light: 120 minutes
 Rating: 230V, 50Hz, 1.6W



This luminaire contains built-in LED lamps.

The lamps cannot be changed in the luminaire.

A++

A+

A

~~B~~

~~C~~

~~D~~

~~E~~

} LED

Sunbeam 30310514
874/2012

IF YOU HAVE ANY PROBLEMS, PLEASE DO NOT CONTACT THE STORE. CONTACT OUR CUSTOMER SERVICE AT 900 833 039 (8:30 am - 5:30 pm E.S.T.).

LIMITED WARRANTY This product is guaranteed to operate a minimum of 1 year from the original date of purchase. If, under normal use and for the full time period, your product fails to operate, please contact info@limagehomeproducts.com with your original proof of purchase receipt and we will refund it. This warranty is considered void if the product fails from misuse.

Visit our website: www.limagehomeproducts.com


© 2016 Sunbeam Products, Inc. doing business as Jarden Consumer Solutions. All rights reserved. Distributed by L'Image Home Products Inc., Montreal, Canada H3B 3X9. LHP993-080216

Importado por:
 Costco Wholesale Spain, S.L.U.
 Polígono Empresarial Los Gavilanes
 C/ Agustín de Betancourt, 17
 28906 Getafe (Madrid) España
 NIF : B86509460
 900 111 155
www.costco.es

Sunbeam

IMPORTANTE, CONSERVE PARA REFERENCIA FUTURA, LEA CUIDADOSAMENTE.
Gracias por comprar la luz de emergencia/luz nocturna de 16 luces LED Sunbeam.
Lea todas las instrucciones antes de utilizar la nueva luz de emergencia/luz nocturna.
IMPORTANTE: SOLO PARA USO EN INTERIORES Y LUGARES SECOS.

PIEZAS Y FUNCIONES



Luz de emergencia
 Se enciende automáticamente cuando se corta la electricidad.

Luz nocturna automática con sensor fotográfico
 Se enciende cuando hay poca luz en el ambiente.
 Se apaga cuando hay luz en la habitación.

Luz con sensor de movimiento
 Se enciende automáticamente cuando los sensores detectan poca luz en el ambiente y movimiento; se apaga automáticamente si no detecta movimiento o cuando aumenta la luz del ambiente.

Linterna LED recargable
Atenuación automática de la intensidad
 En el modo luz nocturna, la unidad se ajusta automáticamente a una luminosidad inferior si el sensor de movimiento no detecta ningún movimiento durante 23 segundos.

INSTRUCCIONES DE SEGURIDAD IMPORTANTES

PRECAUCIÓN: Este aparato puede ser utilizado por niños a partir de los 8 años, así como por personas con capacidades físicas, sensoriales o mentales disminuidas, o con falta de experiencia si se les ha otorgado supervisión o instrucciones acerca de cómo utilizar el aparato de una manera segura o si comprenden los riesgos involucrados. Los niños no deberán jugar con el aparato. La limpieza y mantenimiento no deberá realizarse por niños sin supervisión. Riesgo de descarga eléctrica. Para uso en interiores únicamente. Para un uso seguro, enchufar solamente en tomacorrientes de pared expuestos en los que la luz nocturna reciba ventilación y no tenga contacto con colchas u otros materiales que representen un peligro de incendio.

INSTRUCCIONES DE ELIMINACIÓN SEGURA: Este aparato deberá ser eliminado solo por un especialista. La fuente de luz de este luminario no es reemplazable; cuando la fuente de luz llegue al fin de su vida útil, el luminario completo deberá ser reemplazado. No disponga de los aparatos eléctricos como basura urbana regular, utilice instalaciones separadas. Comuníquese con su gobierno local para informarse de los sistemas de disposición disponibles. Si los aparatos eléctricos se eliminan en basureros o rellenos sanitarios, sustancias peligrosas pueden filtrarse al agua subterránea y entrar a la cadena alimenticia, perjudicando su salud y bienestar. Cuando reemplace aparatos viejos por aparatos nuevos, el detallista está obligado legalmente de recibir sus aparatos viejos para eliminarlos correctamente sin costo alguno. Las pilas deberán ser recicladas o desechadas correctamente. No tire las pilas como basura normal, desecho urbano o en el fuego ya que éstas pueden tener fugas o explotar. No abra, dañe o cortocircuite las pilas ya que esto podría ocasionar lesiones.

ADVERTENCIA: Los cambios o modificaciones realizados a esta unidad, que no fueren expresamente aprobados por la parte responsable del cumplimiento, podrán invalidar la facultad del usuario para operar el equipo.

NOTA: Los LEDs no se pueden reemplazar.



MODELO # 30310514 / ITM. / ART. 8500724

GUARDE ESTAS INSTRUCCIONES

CÓMO CARGAR

PASO 1

Conecte el soporte cargador por inducción en forma vertical en un tomacorriente de pared (FIG. 1).

FIG. 1





FIG. 2



PASO 2

Coloque la luz de emergencia de LED en el soporte de carga. Cargue durante 24 horas antes del primer uso. En adelante, el tiempo de carga completo será de 8 a 10 horas (FIG. 2).

FUNCIONAMIENTO Y ESPECIFICACIONES

Interruptor para desactivar el sensor de movimiento
 Permite a la unidad funcionar como sensor de movimiento (On [Encendido]) o como la luz nocturna (Off [Apagado]).

Botón On/Off (Encendido/Apagado)

- Cuando la unidad se está cargando, presione el botón para encender y apagar las luces LED del panel frontal.
- Cuando la unidad no se está cargando, presione el botón una vez para encender la luz LED en el panel frontal, presione el botón dos veces para cambiar la fuente de luz de la luz LED del panel frontal a linterna y presione el botón nuevamente para apagar la unidad.

Cuna de carga por inducción

Carga la pila de ion de litio integrada en la luz de emergencia de LED.

Tipo de pila: Pila de iones de litio integrada y recargable de 3.7 V y 500 mAh
 Tiempo de carga: Mínimo 8.5 horas
 Autonomía para la luz de emergencia: 120 minutos
 Potencia: 230V, 50Hz, max 1.6W



Esta luminaria lleva lámparas LED incorporadas.

Las lámparas de esta luminaria no son recambiables.

Sunbeam 30310514 874/2012



EN CASO DE QUE SURJA ALGÚN PROBLEMA, NO DEVUELVA EL PRODUCTO A LA TIENDA. COMUNÍQUESE CON LA LÍNEA GRATUITA DE ATENCIÓN AL CLIENTE LLAMANDO AL 900 833 039 (de 8:30 a. m. a 5:30 p. m. Hora del Este).

GARANTÍA LIMITADA Este producto está garantizado para funcionar como mínimo un año a partir de la fecha original de compra. Si bajo uso normal y para el periodo de tiempo completo, su producto no funciona correctamente, por favor contáctenos a info@limagehomeproducts.com con el recibo original de compra para un reembolso completo del monto de compra. Esta garantía es considerada inválida en caso de que el producto sea utilizado de manera inapropiada.


Visite nuestro sitio Web: www.limagehomeproducts.com

© 2016 Sunbeam Products, Inc. Funcionando bajo el nombre de Jarden Consumer Solutions. Todos los derechos reservados. Distribuido por L'Image Home Products Inc., Montreal, Canada H3B 3X9.


Importado por:
Costco Wholesale Spain, S.L.U.
 Polígono Empresarial Los Gavilanes
 C/ Agustín de Betancourt, 17
 28906 Getafe (Madrid) España
 NIF : B86509460
 900 111 155
www.costco.es



1. Fold vertically sheet with English outside & Spanish on inside



2. Then fold again in half in the middle horizontally



3. Then fold again in half vertically



4. Then fold again in half horizontally